



啓動創新資源 Start Innovative Resources  
賦予再生價值 Give Renewable Value

## 索引 INDEX



- 03 粉碎機 GRANULATOR SERIES
- 05 吸入式 / 滾輪式粉碎機 SUCTION / ROLLER GRANULATOR SERIES
- 06 重切削型粉碎機 HEAVY DUTY GRANULATOR SERIES
- 07 雙軸破碎機 TWIN SHAFT SHREDDER SERIES
- 09 臥式攪拌機 MIXER MACHINE-HORIZONTAL TYPE
- 10 雙錐式攪拌機 MIXER MACHINE-DOUBLE CONICAL TYPE
- 11 直立式攪拌機 MIXER MACHINE-VERTICAL TYPE
- 12 立式攪拌機 MIXER MACHINE-VERTICAL
- 13 風車 AIR BLOWER
- 14 旋風儲料桶 CYCLONE
- 16 比例器 PROPORTIONAL MIXING
- 17 除粉機 POWDER REMOVING MACHINE SERIES
- 18 油壓裁切機 OIL PRESSURE CUTTING MACHINE
- 19 輸送機 CONVEYOR SERIES
- 20 客製化設備 CUSTOMIZED EQUIPMENT
- 24 各式刀軸 / 篩網 CUTTER SHAFTS / SCREENS



## GRANULATOR SERIES

- 粉碎口徑大，可投入較大物料。
- 刀具、篩網更換及清料容易方便。
- 馬力小、效率高、性能優，可置放於機台邊，立即回收。
- 適用於各類塑膠、橡膠、木材、中藥、茶枝、紙張、玻璃、飼料、廚餘……等均可使用。

- Big inlet size can be used for larger materials.
- Easy to change cutter and screen.
- Easy to clean material.
- Low horsepower.
- High efficiency.
- Superior performance.
- Suitable for mounting at side of the processing machine for immediate reclamation.
- Suitable for crushing various materials, such as plastic, rubber, wood, Chinese herb, tea stem, paper, glass, feed, etc



機型 Model	SR-260	SR-350	SR-400	SR-500	SR-640
馬力 Power	2-3 HP	3-5 HP	7.5-15 HP	30-40 HP	30~50 HP
粉碎口徑 Inlet Size	260x220 mm	350x220 mm	400x280 mm	500x420 mm	640x480 mm
迴轉直徑 Rotation Diameter	Ø180 mm	Ø180 mm	Ø240 mm	Ø380 mm	380 mm
轉速 R.P.M.	280 R.P.M.	380 R.P.M.	420 R.P.M.	560 R.P.M.	560 R.P.M.
迴轉刀數 Rotary Blade	3 pcs	3 pcs	6 pcs	6 pcs	9 pcs
固定刀數 Stationary Blade	2 pcs	2 pcs	2 pcs	2 pcs	2 pcs
機體重量 Machine Weight	182 kg	230 kg	530 kg	1200 kg	1450 kg
機體尺寸 Machine Size	820x520x1150 mm	840x620x1230 mm	1350x760x1540 mm	1880x1100x1750 mm	1300x2000x2060 mm
工作量 Capacity	120-150 kg/hr	150-200 kg/hr	250-400 kg/hr	500-800 kg/hr	650-1000 kg/hr



機型 Model	SR-750	SR-1000	SR-1250
馬力 Power	50-75 HP	75-100 HP	100-125 HP
粉碎口徑 Inlet Size	750x600 mm	1000x650 mm	1250x650 mm
迴轉直徑 Rotation Diameter	Ø480 mm	Ø480 mm	Ø480 mm
轉速 R.P.M.	560 R.P.M.	560 R.P.M.	560 R.P.M.
迴轉刀數 Rotary Blade	9 pcs	12 pcs	15 pcs
固定刀數 Stationary Blade	2 pcs	4pcs	4 pcs
機體重量 Machine Weight	2450 kg	2800 kg	3150 kg
機體尺寸 Machine Size	2260x1500x2250 mm	2450x1950x2600 mm	2450x2200x2750 mm
工作量 Capacity	900-1200 kg/hr	1000-1400 kg/hr	1100-1450 kg/hr

SUCTION /  
ROLLER GRANULATOR SERIES


■ 薄膜用吸入式粉碎機  
Film Suction Granulator



■ 滾輪式粉碎機  
Roller Granulator



SR-500C  
SR-500D



SR-750C  
SR-750D

■ 4 CLAW SHAFT



■ 滾輪式粉碎機  
Roller Granulator



■ 吸入式 & 滾輪式粉碎機 (兩用式)  
Film Suction & Roller Granulator (Both)

機型 Model	SR-500C	SR-500D	SR-750C	SR-750D
馬力 Power	30-50 HP	40-60 HP	50-75 HP	50-75 HP
粉碎口徑 Inlet Size	500x300 mm	500x500 mm	750x300 mm	750x500 mm
迴轉直徑 Rotation Diameter	Ø380 mm	Ø480 mm	Ø380 mm	Ø480 mm
轉速 R.P.M.	650 R.P.M.	650 R.P.M.	650 R.P.M.	650 R.P.M.
迴轉刀數 Rotary Blade	8 pcs	8 pcs	12 pcs	12 pcs
固定刀數 Stationary Blade	3 pcs	3 pcs	3 pcs	3 pcs
機械重量 Machine Weight	1500 kg	2000 kg	2000 kg	2500 kg
機械尺寸 Machine Size	2100x1100x1850 mm	2200x1350x2100 mm	2100x1350x1850 mm	2200x1600x2100 mm
工作量 Capacity	450-700 kg/hr	800-1000 kg/hr	800-1000 kg/hr	1000-1200 kg/hr

## TWIN SHAFT SHREDDER SERIES

- 用於粉碎機細碎前的粗碎。
- 適用於大型料塊、輪胎、電器、紙、皮革、廢棄物……等均可使用。

- Used for coarse crushing before crushing by granulator.
- Suitable for large materials, tires, electrical appliances, paper, leather, waste, etc.



■ 破碎機皆可客製化  
Shredders can be customized.

機型 Model	SRS-750	SRS-1000	SRS-1200	SRS-1500
馬力 Power	20-30HP	20-40HP	20-30HP	40-50HP
粉碎口徑 Inlet Size	710x630 mm	1000x630 mm	1200x630 mm	1500x740 mm
刀具厚度 Cutter Thickness	50t	50t	50t	50t
轉速 R.P.M.	15-20 R.P.M.	15-20 R.P.M.	15-20 R.P.M.	15-20 R.P.M.
機檯尺寸 Machine Size	225x105x245 cm	250x106x245 cm	270x115x245 cm	320x115x250 cm
機檯重量 Machine Weight	2700 kg	3000 kg	3200 kg	4200 kg

## MIXER MACHINE-HORIZONTAL TYPE



- 適用於橡、塑膠等化工原料、食品材料……等的攪拌。
- U型攪拌桶。
- 螺旋攪刀。
- Suitable for mixing chemical raw materials of plastic or rubber.
- Suitable for mixing food materials.
- U-shaped blending barrel.
- Screw blending blade.

MH-100  
MH-200



MH-300



MH-500



機型 Model	MH-100	MH-200	MH-300	MH-500
馬力 Power	3 HP	5 HP	7.5 HP	10HP
轉速 R.P.M.	60 R.P.M.	60 R.P.M.	60 R.P.M.	60 R.P.M.
工作量 Capacity	100 kg	200 kg	300kg	500 kg
機重 Machine Weight	250 kg	320 kg	450 kg	600 kg
機房尺寸 Machine Size	1680x600x1230 mm	2150x675x1350 mm	2480x825x1600 mm	2590x975x1500 mm

- 雙錐型桶身設計，入料、下料方便容易。
- 更換物料、清潔簡便。
- 桶身材質白鐵，適用於各類食品、中藥、茶葉……等均可使用。
- 可依客戶需求加裝葉片，使物料更加均勻。

- Double conical tank design is convenient for material loading and unloading.
- Easy to change material and clean.
- Stainless steel tank can be applied for mixing food, Chinese herb and tea, etc.
- Additional blades are available to increase material uniformity.

MV-10  
MV-25



MV-50  
MV-100



MV-150



MV-200



機型 Model	MV-10	MV-25	MV-50	MV-100	MV-150	MV-200
馬力 Power	1/2 HP	1/2 HP	1/2 HP	1 HP	2 HP	2 HP
轉速 R.P.M.	30 R.P.M.	30 R.P.M.	30 R.P.M.	30 R.P.M.	30 R.P.M.	30 R.P.M.
機房尺寸 Machine Size	580x710x900 mm	700x750x1200 mm	820x950x1450 mm	1200x1100x1650 mm	1700x1360x1850 mm	1900x1450x2010 mm

## MIXER MACHINE-VERTICAL TYPE

- 適用於橡、塑膠……等化工原料的攪拌。
- 八支葉片攪刀。
- 全方位高速混合。

- Suitable for mixing chemical raw materials of plastic or rubber.
- Eight blending blades
- High speed mixing in all directions



機型 Model	MU-50	MU-100	MU-200
馬力 Power	3 HP	5 HP	10 HP
最大工作量 Max Capacity	50 kg	100 kg	220 kg
機重 Machine Weight	230 kg	320 kg	420 kg
機尺寸 Machine Size	900x800x1170 mm	1090x950x1270 mm	1180x1110x1570 mm

- 攪拌容量大、馬力小，內有螺旋葉片攪拌混合原料，混合能力佳，可混合並且儲存原料。
- 配合押出機、射出機、自動包裝……等用途。
- 適用於橡膠、塑膠等化工原料……等的攪拌。
- Large mixing capacity.
- Small horsepower.
- The blending blades are used to stir and mix the raw materials with good mixing ability and the raw materials can be mixed and stored in it.
- Used with extruders, injection machines, automatic packaging, etc.
- Suitable for mixing chemical raw materials of plastic or rubber.



機型 Model	ML-300	ML-500	ML-1000	ML-1500
馬力 Power	2 HP	3 HP	5 HP	5 HP
工作量 Capacity	300 kg	500 kg	1000 kg	1500 kg
機尺寸 Machine Size	Ø1130 x 2440 mm	Ø1270 x 2900 mm	Ø1525 x 3200 mm	Ø1525 x 3500 mm

機型 Model	ML-2000	ML-3000	ML-5000	ML-10000
馬力 Power	5 HP	7.5 HP	15 HP	25 HP
工作量 Capacity	2000 kg	3000 kg	5000 kg	10000 kg
機尺寸 Machine Size	Ø1740 x 3660 mm	Ø1980 x 4120 mm	Ø2650 x 4420 mm	Ø2720 x 6560 mm

AIR BLOWER


- 擔任回收系統的橋樑，負責將粉碎機粉碎後的碎料吸至儲料桶。

- As a bridge for the recycling system, it is responsible for sucking the crushed material from the granulator to the storage tank.



■ 防音型 Soundproof

機型 Model	KB-2	KB-3	KB-5	KB-7.5	KB-10
馬力 Power	2 HP	3 HP	5 HP	7.5 HP	10 HP
輸送高度 Trans-Height	5 M	5 M	6 M	8 M	8 M
輸送長度 Trans-Length	10 M	10 M	12 M	15 M	20 M
風壓 Velocity Pressure	320-380 mm Aq	350-400 mm Aq	320-380 mm Aq	320-380 mm Aq	320-380 mm Aq
風量 Blast Volume	12 - 15 m <sup>3</sup> / min	13 - 15 m <sup>3</sup> / min	15 - 18 m <sup>3</sup> / min	23 - 27 m <sup>3</sup> / min	25 - 28 m <sup>3</sup> / min
入口 Input	Ø75 mm	Ø100 mm	Ø100 mm	Ø150 mm	Ø150 mm
出口 Output	Ø75 mm	Ø100 mm	Ø100 mm	Ø150 mm	Ø150 mm
機械重量 Machine Weight	58 kg	65 kg	95 kg	135 kg	170 kg




■ 白鐵 Stainless Steel

機型 Model	SG-100	SG-150	SG-250	SG-500	SG-1000
容量 Barrel Content	100 kg	150 kg	250 kg	500 kg	1000 kg
ØA	Ø600 mm	Ø750 mm	Ø800 mm	Ø950 mm	Ø1480 mm
B	2700 mm	2185 mm	2900 mm	2640 mm	2750 mm
C	600 mm	600 mm	600 mm	600 mm	600 mm
D	1000 mm	900 mm	1200 mm	1300 mm	1500 mm

CYCLONE



白鐵 / 黑鐵 Stainless Steel / Mild Steel



- 可配合塑膠射出機、押出機……等，做現場立即新、次料比例混合回收。

- Can be used with plastic injection machine, extrusion machine, etc.
- To do on-site immediate new and secondary material ratio mixing and recycling.



機型 Model	SG-100	SG-150	SG-200	SG-250	SG-500	SG-1000
容量 Barrel Content	100 kg	150 kg	200 kg	250 kg	500 kg	1000 kg
$\phi A$	$\phi 600$ mm	$\phi 750$ mm	$\phi 850$ mm	$\phi 800$ mm	$\phi 950$ mm	$\phi 1480$ mm
B	2700 mm	2185 mm	2235 mm	2900 mm	2640 mm	2750 mm
$\phi C$	$\phi 600$ mm	$\phi 600$ mm	$\phi 600$ mm	$\phi 600$ mm	$\phi 600$ mm	$\phi 600$ mm
D	1000 mm	900 mm	1100 mm	1200 mm	1300 mm	1500 mm

機型 Model	KC-38	KC-50
管徑 Tube Diameter	$\phi 38$ mm	$\phi 50$ mm
壓縮空氣 Pressed Air	4-5 kg/cm <sup>2</sup> G	4-5 kg/cm <sup>2</sup> G
機械尺寸 Machine Size	330x150x150 mm	330x150x150 mm
工作量 Capacity	300 kg/hr	400 kg/hr



• 射出成型的物品，在生產過程中，有焦化、黑點、透光度減弱等問題發生。SP系列就是要把原料或粉碎料中的粉末除去，讓產品品質提升，降低不良率，進而達到節省人力、簡化流程的目的。特別用在透明原料、白色原料，效果更顯著。

• During injection molding operation, some problems such as burning, black spot, reduced transparency, etc. may occur. The SP series are designed to remove the powder in material or crushed material. This will upgrade product quality, reduce defect percentage, save labor and simplify manufacturing process. The machine is especially ideal for transparent material and white material.



SP-50-1



SPL-50-2

機型 Model	SP-50-1	SP-50-2	SP-50-3	SPL-50-2
馬力 Power	1/4 HP	1/4 HP	1/4 HP	1/4 HP
工作量 Capacity	200-250 kg/hr	200-250 kg/hr	200-250 kg/hr	200-250 kg/hr
機體尺寸 Machine Size	900x550x1150 mm	900x580x1240 mm	900x580x1350 mm	1150x550x1150 mm
機體重量 Machine Weight	55 kg	65 kg	85 kg	65 kg
儲料桶容量 Contents	25 kg	25 kg	25 kg	25 kg

- 將較大的原料，裁切成適當大小後，可再投入粉碎機粉碎。這些被裁切物包括射出機或壓出機的料管餘料、模頭、木材、棧板……等等。
- Can cut larger material into appropriate sizes and then can be placed in a granulator for crushing. These cuttings include the remainder of the injection tube of the injection or extruder, the mold, wood, pallet, etc.



機型 Model	JO-50	JO-80	JO-100	JO-125	JO-160
馬力 Power	5 HP	7.5 HP	10 HP	15 HP	15-20 HP
工作量 Capacity	600 mm	800 mm	1000 mm	1250 mm	1600 mm
機體尺寸 Machine Size	500 mm	500-800 mm	500-800 mm	1000 mm	1200 mm
機體重量 Machine Weight	900 kg	1600 kg	1800 kg	2000 kg	2200 kg
儲料桶容量 Contents	1000x800x2000 mm	1300x900x2400 mm	1600x1000x2500 mm	1800x1200x3000 mm	2000x1200x3500 mm





